

RESIDENTIAL GARAGE/SHOP DRAWINGS


Customer Assistance Bulletin #10


In an effort to assist our customers and to recognize the standard construction used in most garages and/or shops the City of Weatherford has provided this minimum guideline for permit/plan submittals.

General Project Submittal Information:


- Completed residential application
- Two sets of construction drawings (see below)
- Two copies of site plan, (see handout)
- See accessory building handout

The following are examples of garage details that show minimum code requirements. Within the City limits of Weatherford wind loads govern the design of every structure and generally designed utilizing exposure "B". **Select the style of structure you want to build.**







Typical Foundation Plan- (Fill in required ? dimensions) Keep in mind that the City has a requirement for accessory buildings to have 75% masonry or similar exterior. Your foundation will need to accommodate the support of the masonry units.



Typical Floor Plan- (Fill in required? dimensions)



Typical Roof Plan-



Are you using trusses? YES NO

If you are using trusses:

Provide the stamped engineering packet from the manufacturer at the time of the framing inspection to the inspector.

If you are not using trusses use the following span tables for roof framing and ceiling framing.

ROOF PLAN

CEILING JOIST SPACING/SPECIES/SIZE/SPAN

TABLE R802.4(2) CEILING JOIST SPANS FOR COMMON LUMBER SPECIES (Uninhabitable attics with limited storage, live load = 20 psf, L/Δ = 240)

	(DEAD LOAD = 10 psf							
			2 × 4	2 × 6	2 × 8	2 × 10				
CEILING JOIST			Maximum ceiling joist spans							
SPACING (inches)	SPECIES AND GRADE		(feet - inches)	(feet - inches)	(feet - inches)	(feet - inches)				
	Douglas fir-larch	SS	10-5	16-4	21-7	Note a				
	Douglas fir-larch	#1	10-0	15-9	20-1	24-6				
	Douglas fir-larch	#2	9-10	14-10	18-9	22-11				
	Douglas fir-larch	#3	7-8	11-2	14-2	17-4				
	Hem-fir	SS	9-10	15-6	20-5	Note a				
	Hem-fir	#1	9-8	15-2	19-7	23-11				
	Hem-fir	#2	9-2	14-5	18-6	22-7				
12	Hem-fir	#3	7-8	11-2	14-2	17-4				
12	Southern pine	SS	10-3	16-1	21-2	Note a				
	Southern pine	#1	10-0	15-9	20-10	Note a				
	Southern pine	#2	9-10	15-6	20-1	23-11				
	Southern pine	#3	8-2	12-0	15-4	18-1				
	Spruce-pine-fir	SS	9-8	15-2	19-11	25-5				
	Spruce-pine-fir	#1	9-5	14-9	18-9	22-11				
	Spruce-pine-fir	#2	9-5	14-9	18-9	22-11				
	Spruce-pine-fir	#3	7-8	11-2	14-2	17-4				
	Douglas fir-larch	SS	9-6	14-11	19-7	25-0				
	Douglas fir-larch	#1	9-1	13-9	17-5	21-3				
	Douglas fir-larch	#2	8-9	12-10	16-3	19-10				
	Douglas fir-larch	#3	6-8	9-8	12-4	15-0				
	Hem-fir	SS	8-11	14-1	18-6	23-8				
	Hem-fir	#1	8-9	13-5	16-10	20-8				
	Hem-fir	#2	8-4	12-8	16-0	19-7				
16	Hem-fir	#3	6-8	9-8	12-4	15-0				
10	Southern pine	SS	9-4	14-7	19-3	24-7				
	Southern pine	#1	9-1	14-4	18-11	23-1				
	Southern pine	#2	8-11	13-6	17-5	20-9				
	Southern pine	#3	7-1	10-5	13-3	15-8				
	Spruce-pine-fir	SS	8-9	13-9	18-1	23-1				
	Spruce-pine-fir	#1	8-7	12-10	16-3	19-10				
	Spruce-pine-fir	#2	8-7	12-10	16-3	19-10				
	Spruce-pine-fir	#3	6-8	9-8	12-4	15-0				
	Douglas fir-larch	SS	8-11	14-0	18-5	23-4				
	Douglas fir-larch	#1	8-7	12-6	15-10	19-5				
	Douglas fir-larch	#2	8-0	11-9	14-10	18-2				
	Douglas fir-larch	#3	6-1	8-10	11-3	13-8				
	Hem-fir	SS	8-5	13-3	17-5	22-3				
	Hem-fir	#1	8-3	12-3	15-6	18-11				
	Hem-fir	#2	7-10	11-7	14-8	17-10				
19.2	Hem-fir	#3	6-1	8-10	11-3	13-8				
	Southern pine	SS	8-9	13-9	18-1	23-1				
	Southern pine	#1	8-7	13-6	17-9	21-1				
	Southern pine	#2	8-5	12-3	15-10	18-11				
	Southern pine	#3	6-5	9-6	12-1	14-4				
	Spruce-pine-fir	SS	8-3	12-11	17-1	21-8				
	Spruce-pine-fir	#1	8-0	11-9	14-10	18-2				
	Spruce-pine-fir	#2	8-0	11-9	14-10	18-2				
	Spruce-pine-fir	#3	6-1	8-10	11-3	13-8				

(continued)

CEILING JOIST SPACING/SPECIES/SIZE/SPAN

TABLE R802.4(2)—continued CEILING JOIST SPANS FOR COMMON LUMBER SPECIES (Uninhabitable attics with limited storage, live load = 20 psf, L/ Δ = 240)

		L	DEAD LOAD = 10 psf								
			2 × 4	2 × 6	2 × 8	2 × 10					
CEILING JOIST SPACING			Maximum Ceiling Joist Spans								
(inches)	SPECIES AND GRA	ADE	(feet - inches)	(feet - inches)	(feet - inches)	(feet - inches)					
	Douglas fir-larch	SS	8-3	13-0	17-1	20-11					
	Douglas fir-larch	#1	7-8	11-2	14-2	17-4					
	Douglas fir-larch	#2	7-2	10-6	13-3	16-3					
	Douglas fir-larch	#3	5-5	7-11	10-0	12-3					
	Hem-fir	SS	7-10	12-3	16-2	20-6					
	Hem-fir	#1	7-6	10-11	13-10	16-11					
	Hem-fir	#2	7-1	10-4	13-1	16-0					
24	Hem-fir	#3	5-5	7-11	10-0	12-3					
24	Southern pine	SS	8-1	12-9	16-10	21-6					
	Southern pine	#1	8-0	12-6	15-10	18-10					
	Southern pine	#2	7-8	11-0	14-2	16-11					
	Southern pine	#3	5-9	8-6	10-10	12-10					
	Spruce-pine-fir	SS	7-8	12-0	15-10	19-5					
	Spruce-pine-fir	#1	7-2	10-6	13-3	16-3					
	Spruce-pine-fir	#2	7-2	10-6	13-3	16-3					
	Spruce-pine-fir	#3	5-5	7-11	10-0	12-3					

Check sources for availability of lumber in lengths greater than 20 feet.

For SI: 1 inch = 25.4 mm, 1 foot = 304.8 mm, 1 pound per square foot = 0.0479 kN/m².

a. Span exceeds 26 feet in length.

RAFTER SPACING/SPECIES/SIZE/SPAN

TABLE R802.5.1(2) RAFTER SPANS FOR COMMON LUMBER SPECIES (Roof live load=20 psf, ceiling attached to rafters, L/Δ = 240)

		DEAD LOAD = 10 psf DEAD LOAD = 20 psf										
							010					
			2 × 4	2 × 6	2 × 8	2 × 10	2 × 12	2 × 4	2×6	2 × 8	2 × 10	2 × 12
RAFTER							Maximum r	· ·				
SPACING (inches)	SPECIES AND GRADE		(feet - inches)									
	Douglas fir-larch	SS	10-5	16-4	21-7	Note b	Note b	10-5	16-4	21-7	Note b	Note b
	Douglas fir-larch	#1	10-0	15-9	20-10	Note b	Note b	10-0	15-4	19-5	23-9	Note b
	Douglas fir-larch	#2	9-10	15-6	20-5	25-8	Note b	9-10	14-4	18-2	22-3	25-9
	Douglas fir-larch	#3	8-7	12-6	15-10	19-5	22-6	7-5	10-10	13-9	16-9	19-6
	Hem-fir	SS	9-10	15-6	20-5	Note b	Note b	9-10	15-6	20-5	Note b	Note b
	Hem-fir	#1	9-8	15-2	19-11	25-5	Note b	9-8	14-11	18-11	23-2	Note b
	Hem-fir	#2	9-2	14-5	19-0	24-3	Note b	9-2	14-2	17-11	21-11	25-5
12	Hem-fir	#3	8-7	12-6	15-10	19-5	22-6	7-5	10-10	13-9	16-9	19-6
12	Southern pine	SS	10-3	16-1	21-2	Note b	Note b	10-3	16-1	21-2	Note b	Note b
	Southern pine	#1	10-0	15-9	20-10	Note b	Note b	10-0	15-9	20-10	25-10	Note b
	Southern pine	#2	9-10	15-6	20-5	Note b	Note b	9-10	15-1	19-5	23-2	Note b
	Southern pine	#3	9-1	13-6	17-2	20-3	24-1	7-11	11-8	14-10	17-6	20-11
	Spruce-pine-fir	SS	9-8	15-2	19-11	25-5	Note b	9-8	15-2	19-11	25-5	Note b
	Spruce-pine-fir	#1	9-5	14-9	19-6	24-10	Note b	9-5	14-4	18-2	22-3	25-9
	Spruce-pine-fir	#2	9-5	14-9	19-6	24-10	Note b	9-5	14-4	18-2	22-3	25-9
	Spruce-pine-fir	#3	8-7	12-6	15-10	19-5	22-6	7-5	10-10	13-9	16-9	19-6
	Douglas fir-larch	SS	9-6	14-11	19-7	25-0	Note b	9-6	14-11	19-7	24-9	Note b
	Douglas fir-larch	#1	9-1	14-4	18-11	23-9	Note b	9-1	13-3	16-10	20-7	23-10
	Douglas fir-larch	#2	8-11	14-1	18-2	22-3	25-9	8-6	12-5	15-9	19-3	22-4
	Douglas fir-larch	#3	7-5	10-10	13-9	16-9	19-6	6-5	9-5	11-11	14-6	16-10
	Hem-fir	SS	8-11	14-1	18-6	23-8	Note b	8-11	14-1	18-6	23-8	Note b
	Hem-fir	#1	8-9	13-9	18-1	23-1	Note b	8-9	12-11	16-5	20-0	23-3
	Hem-fir	#2	8-4	13-1	17-3	21-11	25-5	8-4	12-3	15-6	18-11	22-0
16	Hem-fir	#3	7-5	10-10	13-9	16-9	19-6	6-5	9-5	11-11	14-6	16-10
	Southern pine	SS	9-4	14-7	19-3	24-7	Note b	9-4	14-7	19-3	24-7	Note b
	Southern pine	#1	9-1	14-4	18-11	24-1	Note b	9-1	14-4	18-10	22-4	Note b
	Southern pine	#2 #3	8-11 7-11	14-1 11-8	18-6 14-10	23-2	Note b 20-11	8-11	13-0	16-10	20-1	23-7
	Southern pine	SS	8-9	13-9	18-1	17-6 23-1	Note b	6-10 8-9	10-1 13-9	12-10 18-1	15-2 23-0	18-1 Note b
	Spruce-pine-fir Spruce-pine-fir	#1	8-7	13-9	17-9	22-3	25-9	8-6	12-5	15-9	19-3	22-4
	Spruce-pine-fir	#2	8-7	13-5	17-9	22-3	25-9	8-6	12-5	15-9	19-3	22-4
	Spruce-pine-fir	#3	7-5	10-10	13-9	16-9	19-6	6-5	9-5	11-11	14-6	16-10
	Douglas fir-larch	SS	8-11	14-0	18-5	23-7	Note b	8-11	14-0	18-5	22-7	Note b
	Douglas fir-larch	#1	8-7	13-6	17-9	21-8	25-2	8-4	12-2	15-4	18-9	21-9
	Douglas fir-larch	#2	8-5	13-1	16-7	20-3	23-6	7-9	11-4	14-4	17-7	20-4
	Douglas fir-larch	#3	6-9	9-11	12-7	15-4	17-9 Note b	5-10	8-7	10-10	13-3	15-5
	Hem-fir	SS #1	8-5	13-3	17-5	22-3 21-1	Note b	8-5	13-3 11-10	17-5	22-3	25-9 21-3
	Hem-fir Hem-fir	#1 #2	8-3 7-10	12-11 12-4	17-1 16-3	20-0	24-6 23-2	8-1 7-8	11-10	15-0 14-2	18-4 17-4	20-1
	Hem-fir	#2	6-9	9-11	12-7	20-0 15-4	17-9	7-8 5-10	8-7	10-10	17-4	15-5
19.2	Southern pine	SS	8-9	13-9	18-1	23-1	Note b	8-9	13-9	18-1	23-1	Note b
	Southern pine	#1	8-7	13-6	17-9	22-8	Note b	8-7	13-6	17-2	20-5	24-4
	Southern pine	#2	8-5	13-3	17-5	21-2	24-10	8-4	11-11	15-4	18-4	21-6
	Southern pine	#3	7-3	10-8	13-7	16-0	19-1	6-3	9-3	11-9	13-10	16-6
	Spruce-pine-fir	SS	8-3	12-11	17-1	21-9	Note b	8-3	12-11	17-1	21-0	24-4
	Spruce-pine-fir	#1	8-1	12-8	16-7	20-3	23-6	7-9	11-4	14-4	17-7	20-4
	Spruce-pine-fir	#2	8-1	12-8	16-7	20-3	23-6	7-9	11-4	14-4	17-7	20-4
	Spruce-pine-fir	#3	6-9	9-11	12-7	15-4	17-9	5-10	8-7	10-10	13-3	15-5
	oprace pine in	10.57	0-9	<i>></i> -11	12-1	15-4	11-7	5-10	0.7	10-10	10-0	10-0

(continued)

RAFTER SPACING/SPECIES/SIZE/SPAN

TABLE R802.5.1(2)—continued RAFTER SPANS FOR COMMON LUMBER SPECIES (Roof live load=20 psf, ceiling attached to rafters, L/ Δ = 240)

			DEAD LOAD = 10 psf				DEAD LOAD = 20 psf					
			2 × 4	2 × 6	2 × 8	2 × 10	2 × 12	2 × 4	2 × 6	2 × 8	2 × 10	2 × 12
RAFTER						N	Maximum ra	after spans	a a			
SPACING (inches)			(feet - inches)	(feet - inches)	(feet - inches)	(feet - inches)	(feet - inches)	(feet - inches)	(feet - inches)	(feet - inches)	(feet - inches)	(feet - inches)
24	Douglas fir-larch Douglas fir-larch Douglas fir-larch Douglas fir-larch Hem-fir Hem-fir Hem-fir Hem-fir Southern pine Southern pine Southern pine Southern pine	SS #1 #2 #3 SS #1 #2 #3 SS SS	8-3 8-0 7-10 6-1 7-10 7-8 7-3 6-1 8-1 8-0 7-10 6-5 7-8	13-0 12-6 11-9 8-10 12-3 12-0 11-5 8-10 12-9 12-6 12-3 9-6 12-0	17-2 15-10 14-10 11-3 16-2 15-6 14-8 11-3 16-10 16-6 15-10 12-1 15-10	21-10 19-5 18-2 13-8 20-8 18-11 17-10 13-8 21-6 21-1 18-11 14-4 20-2	Note b 22-6 21-0 15-11 25-1 21-11 20-9 15-11 Note b 25-2 22-2 17-1 24-7	8-3 7-5 6-11 5-3 7-10 7-3 6-10 5-3 8-1 8-0 7-5 5-7 7-8	13-0 10-10 10-2 7-8 12-3 10-7 10-0 7-8 12-9 12-3 10-8 8-3 12-0	16-7 13-9 12-10 9-9 16-2 13-5 12-8 9-9 16-10 15-4 13-9 10-6 15-4	20-3 16-9 15-8 11-10 19-10 16-4 15-6 11-10 21-6 18-3 16-5 12-5 18-9	23-5 19-6 18-3 13-9 23-0 19-0 17-11 13-9 Note b 21-9 19-3 14-9 21-9
	Spruce-pine-fir	#1	7-6	11-9	14-10	18-2	21-0	6-11	10-2	12-10	15-8	18-3
	Spruce-pine-fir	#2	7-6	11-9	14-10	18-2	21-0	6-11	10-2	12-10	15-8	18-3
	Spruce-pine-fir	#3	6-1	8-10	11-3	13-8	15-11	5-3	7-8	9-9	11-10	13-9

Check sources for availability of lumber in lengths greater than 20 feet.

For SI: 1 inch = 25.4 mm, 1 foot = 304.8 mm, 1 pound per square foot = 0.0479 kN/m².

a. The tabulated rafter spans assume that ceiling joists are located at the bottom of the attic space or that some other method of resisting the outward push of the rafters on the bearing walls, such as rafter ties, is provided at that location. When ceiling joists or rafter ties are located higher in the attic space, the rafter spans shall be multiplied by the factors given below:


H _C ∕H _B	Rafter Span Adjustment Factor
2/3 or greater	0.50
1/2	0.58
1/3	0.67
1/4	0.76
1/5	0.83
1/6	0.90
1/7.5 and less	1.00

where: H_C = Height of ceiling joists or rafter ties measured vertically above the top of the rafter support walls.

 H_R = Height of roof ridge measured vertically above the top of the rafter support walls.

b. Span exceeds 26 feet in length.

Typical Framing Cut Section



	SPACING	SPECIES	SIZE	SPAN
	(select from tables)	(select from tables)	(select from tables)	(select from tables)
RAFTERS	in. o.c.		2 X	ftin.
CEILING JOISTS	in. o.c.		2 X	ftin.
Garage Door Header				ftin.